## **UCMA Regular Meeting Agenda**

May 26, 2022- 5:30pm

Roll Call	
Time Start:	_pm
	ne regular meeting minutes of February 24, 2021- <mark>Motion</mark> red paid and those paid be approved- <mark>Motion</mark>
-Communication: N/A	A
-Hearing of Citizens:	
-Gus attending via Zo	Engineer's report oom.
-Tim to attend via Zo	Attorney's report om.
quoteIce fishing contest w	Old Business  ag, done. John, Daryl and Dan looked sewage plant trees, left a message for Noah Shetler about the as ok, not the best but Jerry is interested in possibly trying another one this next winter. It project is ongoing, about 75% done.
-Employee update: Sa -Water plant roof, sch -Standing seam roof f -Natureworks treatme -Weeds might -Salvation Army cam for the Lot #1 alley to -New computers for c -Weekend rain storm, 5.50", by reservoir 4.0 faired pretty well with	er/Sewer revenue Report. Alusky, term date 5/6/22, insurance benefits end on 5/31/22. Beduled for repair, have a spot that is leaking. For sewage plant main bldg/filter press bldg. roofs, low bid quote: \$13,700.00. Motion Ent quote: \$3,598.00 ½ lake treatment, 6 treatments at \$21,588. Motion Ent needed treated next year: This years price for weed treatment is \$8,262.00 Ent a system, shared cost with the Borough: Boro:\$677.50, Mun Auth:\$677.50 and \$2,260.00 each Ent of main street and Lot#3 parking lot/Dai-Salon. Total cost to UCMA: \$2,937.50. Motion Entire: Tresa, Kim and Daryl. Old Windows 2007 computers no longer supported. Sun May 22 <sup>nd</sup> . Different areas of town reported the following: Sewage Plant 2.20", Parade Street DO". Lots of stormwater flooding and erosion, UCMA sewage plant and sewage collection system In no significant damage, the sewage plant received 4.0 MGD.  Ent of the sewage plant for the pump house/Food Pantry, to be used for re-parging old
The regularly sched	INFORMATIONAL SUMMARY uled meeting for Thursday- June 23 <sup>rd</sup> , 2022 at 5:30pm
Adjourn- Motion	
Time End:	_pm